



Web: <http://cncarhs.com>

Sichuan HS International Trade Co., Ltd
Address: No. 269, Tianfu Second Street Gaoxin District Chengdu Sichuan
Mob: 86-028-81759494 Tel: 17882211901 Email: schswx@aliyun.com

Product Parameter Configuration Table (Changan UNI-V)

body of car	Number of doors (one)	5	5	5	5	5	5
	Door opening mode	vertical hinged door					
	Number of seats (full)	5	5	5	5	5	5
	curb weight (kg)	1405	1405	1405	1405	1505	1505
	Full-load mass (kg)	1785	1785	1785	1785	1895	1895
	fuel tank capacity (L)	51	51	51	51	51	51
	Baggage compartment volume (L)	—	—	—	—	—	—
engine	engine type	JL473ZQ7	JL473ZQ7	JL473ZQ7	JL473ZQ7	JL486ZQ5	JL486ZQ5
	displacement (mL)	1494	1494	1494	1494	1998	1998
	displacement (L)	1.5	1.5	1.5	1.5	2	2
	Intake form	turbocharging	turbocharging	turbocharging	turbocharging	turbocharging	turbocharging
	Cylinder arrangement form	L four	L	L	L	L	L
	Number of cylinders (individual)	4	4	4	4	4	4
	Number of valves per cylinder (full)	4	4	4	4	4	4
	reduction ratio	—	—	—	—	—	—
	admission gear	DOHC country	DOHC	DOHC	DOHC	DOHC	DOHC
	maximum horsepower (Ps)	188	188	188	188	233	233
	maximum power (kW)	138	138	138	138	171	171
	Maximum power rotation speed (rpm)	5500	5500	5500	5500	5500	5500
	Maximum torque (N · m)	300	300	300	300	390	390
	Maximum torque rotation speed (rpm)	1500-4000	1500-4000	1500-4000	1500-4000	1900-3300	1900-3300
	Engine-specific technology	—	—	—	—	—	—
	Fuel form	gasoline	gasoline	gasoline	gasoline	gasoline	gasoline
	Fuel label	92 # Four	92#	92#	92#	92#	92#

	Body stabilization system (ESP / DSC, etc.)	, standard configuration	, standard configuration	· standard configuration	, standard configuration	, standard configuration	, standard configuration
Active safety	· Lane departure warning country	· Lane departure warning	· Lane departure warning	· Lane departure warning	· Lane departure warning	· Lane departure warning	· Lane departure warning
	· Front collision warning	· Front collision warning	· Front collision warning	· Front collision warning	· Front collision warning	· Front collision warning	· Front collision warning
	—	—	—	· Revercar side warning back	—	—	—
	—	—	—	· DOW shall open the door for early warning	—	—	—
	Active brake	, standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	And line auxiliary	—	—	—	, standard configuration	—	—
	Lane-keeping assist system	—	· standard configuration	· standard configuration	· standard configuration	—	· standard configuration
	The lane is held in the center	—	· standard configuration	· standard configuration	· standard configuration	—	· standard configuration
	Fatigue driving tips	—	· standard configuration	· standard configuration	· standard configuration	—	, standard configuration
	Active DMS fatigue testing	—	, standard configuration	· standard configuration	, standard configuration	—	, standard configuration
Passive safety	Detection of vital signs in the vehicle	—	—	—	—	—	—
	Road traffic sign identification	—	· standard configuration	· standard configuration	· standard configuration	—	· standard configuration
	Front row safety air wing	· Main driver's seat	· Main driver's seat	· Main driver's seat	· Main driver's seat	· Main driver's seat	· Main driver's seat
		· Co-pilot position	· Co-pilot position	· Co-pilot position	· Co-pilot position	· Co-pilot position	· Co-pilot position
	Side airbags	· front row	· front row	· front row	· front row	· front row	· front row
	Side safety curtain	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration
Front row Mubu air wing	—	—	—	—	—	—	—
	The central government is safe	—	—	—	—	—	—

	The seat belt is not fastened	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Tire pressure monitoring system	· Tire pressure display	· Tire pressure display	· Tire pressure display	· Tire pressure display	· Tire pressure display	· Tire pressure display
	Heavy seat connection □ (ISOFIX)	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Passive pedestrian protection	—	—	—	—	—	—
	safety tread	—	—	—	—	—	—
Auxiliary / handling configuration	Parking radar	· front · behind	· front · behind	· front · behind	· front · behind	· front · behind	· front · behind
	The front car leaves the reminder	—	—	—	—	—	—
	Driving mode selection	· movement	· movement	· movement	· movement	· movement	· movement
		· ECO/ economy	· ECO/ economy	· ECO/ economy	· ECO/ economy	· ECO/ economy	· ECO/ economy
		· Standard comfort	· Standard comfort	· Standard comfort	· Standard comfort	· Standard comfort	· Standard comfort
External configuration	Sunroof type	· Single skylight back	· Cannot open the panoramic sunroof				
	Light sense sky curtain	—	—	—	—	—	—
	roof rack	—	—	—	—	—	—
	Sports appearance kit	—	—	· standard configuration	—	· standard configuration	· standard configuration
	Electric spoiler	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Active closed air intake grille	—	—	—	—	—	—
	Aluminum alloy hub	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration	, standard configuration
	Frameless design door	—	—	—	—	—	—
	Hidden door handle	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Drag hook	—	—	—	—	—	—

	Steering wheel function	· Multifunction control =	· Multifunction control · shift				
	Driving computer screen tomb	· multicolour	multicolour	· multicolour	multicolour	multicolour	multicolour
	LCD instrument style	· Full LCD	· Full LCD	· Full LCD	· Full LCD	, Full LCD	· Full LCD
	LCD instrument size (inches)	·3+10.3+7	·3+10.3+7	·3+10.3+7	·3+10.3+7	·3+10.3+7	·3+10.3+7
Comfort / anti-theft configuration	Electric suction door	—	—	—	—	—	—
	After electric star gate	· Standard drawing display	Standard standard illustration	Standard standard illustration	, Standard with an illustration	Standard standard illustration	Standard standard illustration
	Inductive rear door	, Standard with an illustration	, Standard with an illustration	Standard standard illustration	, Standard with an illustration	, Standard with an illustration	, Standard with an illustration
	Electric electric star gate position memory	, standard configuration	standard configuration	· standard configuration	, standard configuration	, standard configuration	standard configuration
	Engine electronic anti-theft	standard configuration	standard configuration	standard configuration	· standard configuration	, standard configuration	standard configuration
	Central control lock in the car	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Remote key type	· Intelligent remote control key	· Intelligent remote control key	· Intelligent remote control key	, Intelligent remote control key	Intelligent remote control key	· Intelligent remote control key
		Mobile Bluetooth key	, Mobile phone bluetooth key	, Mobile phone bluetooth key	, Mobile phone bluetooth key	Mobile Bluetooth key	Mobile Bluetooth key
	Keyless entry	· Front row diagram	· Front row diagram	· Front row diagram	· Front row diagram	· Front row diagram	· Front row diagram
	Keyless start	Standard standard illustration	, Standard with an illustration	· Standard drawing representation	, Standard with an illustration	, Standard with an illustration	Standard standard illustration
	Remote start	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Remote control mobile axle	—	—	—	· standard configuration	—	—
	Built-in dashcam	, standard configuration	, standard configuration	, standard configuration	, standard configuration	, standard configuration	, standard configuration
	active noise reduction	—	—	—	—	—	—

	Mobile phone wireless charging	—	, Standard with an illustration	, Standard with an illustration	· Standard drawing representation	—	, Standard with an illustration
	110V / 220V / 230V power outlet	—	—	—	—	—	—
	The 12V power interface of the luggage compartment	—	—	—	—	—	—
Seat configuration	Lead chair material	· imitation leather	, imitation leather	, imitation leather	· imitation leather	, imitation leather	, imitation leather
	Sports style seats	, standard configuration	, standard configuration	, standard configuration	, standard configuration	, standard configuration	, standard configuration
	Second row of independent seats	—	—	—	—	—	—
	Rate chair electric adjustment	· Main driver's seat	· Main driver's seat	· Main driver's seat	· Main driver's seat	· Main driver's seat	· Main driver's seat
		—	· Co-pilot position	· Co-pilot position	· Co-pilot position	· Co-pilot position	· Co-pilot position
	Overall adjustment of the main driving seat	· shuttle	· shuttle	· shuttle	· shuttle	· shuttle	· shuttle
		, Back Angle	, Back Angle	, Back Angle	, Back Angle	, Back Angle	, Back Angle
		, High and low regulation	, High and low regulation	· High and low adjustment	· High and low adjustment	, High and low regulation	· High and low adjustment
	Local adjustment of the main driving seat	—	loin	. loin	· loin	—	. loin
	Overall adjustment of the front passenger seat	shuttle	· shuttle	· shuttle	· shuttle	· shuttle	· shuttle
		· Back Angle	· Back Angle	, Back Angle	, Back Angle	· Back Angle	· Back Angle
	Front seat function	—	. Heating (main driver)	. Heating (main driver)	· Heating (live driving)	—	Heating (live driving)
		—	Ventilation (main driver)	Ventilation (main driver)	· Ventilation (main driver)	—	Ventilation (main driver)
		—	Memory (main driver)	Memory (main driver)	· Memory (main driver)	—	Memory (main driver)
	Second-row seat function	—	—	—	—	—	—
	Boss key	—	—	—	—	—	—
	Front / rear armrest	· front row	· front row	· front row	· front row	· front row	· front row

	Front / rear armrest	—	· back row	· back row	· back row	—	· back row
The rear cup holder	—	· standard configuration	· standard configuration	· standard configuration	—	—	· standard configuration
Heating / cooled cup holder	—	—	—	—	—	—	—
The rear seat falls proportionally	· 40:60	· 40:60	· 40:60	· 40:60	· 40:60	· 40:60	· 40:60
The second row of small plates	—	—	—	—	—	—	—
Intelligent interconnection	Central control screen size (inches)	· 10.3	· 10.3	· 10.3	· 10.3	· 10.3	· 10.3
	Touch screen vibration feedback	—	—	—	—	—	—
	GPS guidance system	· standard configuration	, standard configuration				
	AR real navigation	—	—	—	—	—	—
	Navigation road condition information display	· standard configuration					
	Road rescue services	—	—	—	—	—	—
	Bluetooth / vehicle phone	· standard configuration					
	Mobile phone interconnection mapping	· Original machine of original factory					
	Multimedia interface	· SD card slot					
		· USB/Type-C					
	Number of USB / Type-C interfaces	· One in the front row					
		· One back row					
	USB / Type-C maximum charging power	—	—	—	—	—	—
	Car TV	—	—	—	—	—	—
	Rear LCD screen	—	—	—	—	—	—
	Simulation of sound waves	—	—	—	—	—	—

Zhang Xiang brand	—	. Sony is worth 1,999 yuan	. Sony is worth 1,999 yuan	· Sony	. Sony is worth 1,999 yuan	· Sony
Number of speakers (full)	·6	—	—	—	·6	—
	—	·8	·8	—	—	—
	—	· 10	· 10	·10	· 10	· 10
Rear-row multimedia control	—	—	—	—	—	—
Lighting configuration	dipped headlight	·LED four	· LED	· LED	· LED	·LED
	high beam	· LED				
	Daytime running lights	· standard configuration				
	Adaptive near and far light	—	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Automatic headlights	· standard configuration				
Window function	Electric window	· front row				
	—	· back row				
	The window is lifted with one click	· The whole car				
	Window anti-clamp hand function	· standard configuration				
	External rearview mirror function	· Diagram representation of electric motor regulation				
Interior function	· heat	· heat	· heat	· heat	· heat	· heat
	· Electric fragrance	· Electric fragrance	· Electric folding	· Electric fragrance	· Electric folding	· Electric fragrance
	· Lock the car to automatically fold incense	· Lock the car and automatically fold it	· Lock the car and automatically fold the incense	· Lock the car and fold it automatically	· Lock the car and automatically fold the incense	· Lock the car and fold it automatically
	Internal rearview mirror function	—	—	—	—	—
	Inside the car makeup mirror	· Main driving seat + no lighting				

	· Passenger seat + no lighting	· Passenger seat + no lighting	· Passenger seat + no lighting	· Passenger seat + no lighting	· Passenger seat + no lighting	· Passenger seat + no lighting
Glass / rearview mirror	—	—	—	—	—	—
	Rear privacy glass	—	—	—	—	—
	Inside the car shade	—	—	—	—	—
	Southern volume inductive type wiper	—	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	The Internet of cars	, standard configuration				
	4G/5G network	· 4G				
	OTA upgrade	· standard configuration				
	facial recognition	—	· standard configuration	· standard configuration	—	· standard configuration
	fingerprint identification	—	—	—	—	—
	Sound print recognition	—	—	—	—	—
	Emotional recognition	—	—	—	—	—
	Speech recognition control system	· standard configuration				
	Voice wake-free function	—	—	—	—	—
	Voice subarea wake-up recognition function	· Main driving				
	Continuous speech recognition	—	—	—	—	—
	Visible to say	—	—	—	—	—
	Voice assistant wake-up words	Hello, Xiao An				
	Gesture control function	—	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Wi-Fi hot spot	· standard configuration				
	Multi-finger flying screen control	—	, standard configuration	, standard configuration	—	, standard configuration

Video entertainment	application store	· standard configuration					
	Air conditioning control mode	· voluntarily					
	Rear independent air conditioning	—	—	—	—	—	—
	The rear air outlet	· standard configuration					
	Temperature partition control	—	—	—	—	—	—
	Car-mounted air purifier	—	, standard configuration	, standard configuration	, standard configuration	—	, standard configuration
	Interior PM2.5 filter device	, standard configuration	· standard configuration				
	HEPA filtrating equipment	—	—	—	—	—	—
	negative ion generator	—	· standard configuration	· standard configuration	· standard configuration	—	· standard configuration
	In-car ammonia device	—	—	—	—	—	—
	car refrigerator	—	—	—	—	—	—
	Intelligent configuration	—	—	—	—	—	—
	Vehicle intelligent system	—	· IMS smart cockpit	· IMS smart cockpit	· IMS smart cockpit	—	· IMS smart cockpit
	Vehicle intelligent chip	· SuperFast	. SuperFast	· SuperFast	· SuperFast	· SuperFast	· SuperFast
	Mobile phone App for remote control	· Vehicle monitoring	. Vehicle monitoring	, Vehicle monitoring	, Vehicle monitoring	, Vehicle monitoring	, Vehicle monitoring
		· telecontrol	· telecontrol	, telecontrol	, telecontrol	· telecontrol	· telecontrol
		· Service appointment					
		· Digital key	· Digital key	, Digital key	· Digital key	· Digital key	· Digital key
	Heat pump management system	—	—	—	—	—	—
	Number of external cameras (s)	·4	·5	·5	·5	·4	·5
	Outside the car camera head pixel	—	—	—	—	—	—
	Number of cameras in car (s)	—	·2	·2	·2	—	·2

	Interior camera head pixels	—	—	—	—	—	—
	Number of ultrasonic radars (s)	·6	·6	·6	· 12	·6	·6
	Number of millimeter-wave radars (s)	·1	·1	·1	·5	·1	·1
	Submeter-level high-precision positioning system	—	—	—	—	—	—
	High precision map	—	—	—	—	—	—
	Sentinel (Clairvoyant) mode	—	—	—	—	—	—
	V2X communication	—	—	—	—	—	—
Choose the pack	Custom optional	Optional exterior, interior decoration, wheel hub, and system	Optional exterior, interior decoration, wheel hub, and system	Optional exterior, interior decoration, wheel hub, and system	Optional exterior, interior decoration, wheel hub, and system	Optional exterior, interior decoration, wheel hub, and system	Optional exterior, interior decoration, wheel hub, and system
	Move the device	Move the device	Move the device	Move the device	Move the device	Move the device	Move the device
	Electric flying wing bag	—	—	—	—	—	—
	Enjoy the sound quality package	—	SONY Sound System (10 speakers)	CONIV Ring / 10 learning words card 3 GINF entry household surface	—	SONY Sound System (10 speakers)	—
	Comfortable driving bag	—	Main driving electric 10-way seat (with ventilation / Heating, memory and welcome guests)	In 10 to the wall Two and electric heart Plus, than a billion industry soldiers	—	—	Gongpen move four zhuang Heating, memory to welcome guests)
	AI active service	—	· standard configuration	· standard configuration	· standard configuration	—	· standard configuration
	Variable exhaust waves	—	—	· standard configuration	—	. Optional selection temporarily has no price	. Optional selection temporarily has no price