

Product Parameter Configuration Table (Honda ZR-V 2023)

		1.5 TCVT technology edition	2.0L Sharp · Elite edition	1.5 T CVT	2.0L Sharp · leading version	2.0L Sharp · Deluxe edition	2.0L Rui · premium version
essential information	rank	compact SUV	compact SUV	compact SUV	compact SUV	compact SUV	compact SUV
	Energy type	gasoline	PHEV	gasoline	PHEV	PHEV	PHEV
	engine	1.5T 182 hp. L4	2.0L 143 hp L4 oil-electric mix	1.5T 182 hp. L4	2.0L 143 hp L4 oil-electric mix	2.0L143 hp L4 oil-electric mix	2.0L143 hp L4 oil-electric mix
	Maximum engine power (kW)	134(182Ps)	105(143Ps)	134(182Ps)	105(143Ps)	105(143Ps)	105(143Ps)
	Maximum motor power (kW)	—	135(184Ps)	—	135(184Ps)	135(184Ps)	135(184Ps)
	Maximum torque (N · m)	240	182	240	182	182	182
	Maximum engine torque (N · m)	240	182	240	182	182	182
	Maximum torque of electric motor (N · m)	—	315	—	315	315	315
	gear-box	CVT infinitely variable speeds	Electronic stepless transmission (E-CVT)	CVT infinitely variable speeds	Electronic stepless transmission (E-CVT)	Electronic stepless transmission (E-CVT)	Electronic stepless transmission (E-CVT)
	Length x, width x, height (mm)	4568x1840x1611	4568x1840x1611	4568x1840x1621	4568x1840x1611	4568x1840x1621	4568x1840x1621
	bodywork	5-door, 5-seat SUV	5-door, 5-seat SUV	5-door, 5-seat SUV	5-door, 5-seat SUV	5-door, 5-seat SUV	5-door, 5-seat SUV
	Top vehicle speed (km/h)	192	166	192	166	166	166
	Official 100 km acceleration time (s)	—	—	—	—	—	—
	WLTC combined fuel consumption (L / 100km)	6.96	5.13	7.08	5.13	5.26	5.26

	Power consumption per 100km (kWh / 100 km)	—	—	—	—	—	—
body of car	long (mm)	4568	4568	4568	4568	4568	4568
	wide (mm)	1840	1840	1840	1840	1840	1840
	tall (mm)	1611	1611	1621	1611	1621	1621
	wheel base (mm)	2655	2655	2655	2655	2655	2655
	front gauge (mm)	1591	1591	1591	1591	1591	1591
	rear track (mm)	1604	1604	1604	1604	1604	1604
	bodywork	SUV	SUV	SUV	SUV	SUV	SUV
	Number of doors	5	5	5	5	5	5
	Door opening mode	vertical hinged door					
	Number of seats (enterprise)	5	5	5	5	5	5
	curb weight (kg)	1479	1556	1530	1556	1614	1636
	Full-load mass (kg)	1930	2045	1980	2045	2090	2110
	fuel tank capacity (L)	53	53	53	53	53	53
	Baggage compartment volume (L)	—	—	—	—	—	—
engine	engine type	L15CD	LFB17	L15CD	LFB17	LFB17	LFB17
	displacement (mL)	1498	1993	1498	1993	1993	1993
	displacement (L)	1.5	2	1.5	2	2	2
	Intake form	turbocharging	normally aspirated	turbocharging	normally aspirated	normally aspirated	normally aspirated
	Cylinder arrangement form	L	L	L	L	L	L
	Number of cylinders (individual)	4	4	4	4	4	4
	Number of valves per cylinder (full)	4	4	4	4	4	4
	reduction ratio	10.3	13.9	10.3	13.9	13.9	13.9
	admission gear	DOHC	DOHC	DOHC	DOHC	DOHC	DOHC
	maximum horsepower (Ps)	182	143	182	143	143	143
	maximum power (kW)	134	105	134	105	105	105

Engine	Maximum power rotation speed (rpm)	6000	6000	6000	6000	6000	6000
	Maximum torque (N·m)	240	182	240	182	182	182
	Maximum torque rotation speed (rpm)	1800-4500	4500	1800-4500	4500	4500	4500
	Engine-specific technology	VTEC	VTEC	VTEC	VTEC	VTEC	VTEC
	Fuel form	gasoline	Oil and electricity mix	gasoline	Oil and electricity mix	Oil and electricity mix	Oil and electricity mix
	Fuel label	92#	92#	92#	92#	92#	92#
	Oil supply method	direct injection	direct injection	direct injection	direct injection	direct injection	direct injection
	Cylinder cap material	aluminium	aluminium	aluminium	aluminium	aluminium	aluminium
	Cylinder material	aluminium	aluminium	aluminium	aluminium	aluminium	aluminium
	Environmental standards	country VI	country VI	country VI	country VI	country VI	country VI
electric motor	Description of motor	—	Oil-electric mix of 184 horsepower	—	Oil-electric mix of 184 horsepower	Oil-electric mix of 184 horsepower	Oil-electric mix of 184 horsepower
	Motor type	—	Permanent magnet / synchronization	—	Permanent magnet / synchronization	Permanent magnet / synchronization	Permanent magnet / synchronization
	Total power of electric motor (kW)	—	135	—	135	135	135
	Total motor horsepower (Ps)	—	184	—	184	184	184
	Total torque of Electric Motor (N·m)	—	315	—	315	315	315
	Maximum power of the front motor (kW)	—	135	—	135	135	135
	Maximum torque of the front motor (N · m)	—	315	—	315	315	315
	Number of driving motors	—	Single motor	—	Single motor	Single motor	Single by machine
	Motor layout	—	prepose	—	prepose	prepose	prepose
	Battery type	—	Lithium-ion battery	—	Lithium-ion battery	Lithium-ion battery	Lithium-ion battery
	Transmission description	CVT infinitely variable speeds	Electronic stepless transmission (E-CVT)	CVT infinitely variable speeds	Electronic stepless transmission (E-CVT)	Electronic stepless transmission (E-CVT)	Electronic stepless transmission (E-CVT)

gear-box	Block digits	infinitely variable speeds					
	Transmission type	Stepless transmission (CVT)	Electronic stepless transmission (E-CVT)	Stepless transmission (CVT)	Electronic stepless transmission (E-CVT)	Electronic stepless transmission (E-CVT)	Electronic stepless transmission (E-CVT)
Chassis / steering	Drive way	Front-engine	Front-engine	Front-engine	Front-engine	Front-engine	Front-engine
	Before the hanging form	McPherson type independent storm hanging					
	After the violent hanging form	Multi-link-type independent suspension					
	Steering type	Electric power					
	car body structure	Carrying type					
Wheel / Brake	Front Brake Type	Ventilation disc type	Ventilation disc type	Ventilation disc type	Ventilation disc type	Ventilation disc type	Ventilation disc type
	Rear brake type	Solid disk type	Solid disk type	Solid disk type	Solid disk type	Solid disk type	Solid disk type
	Parking brake type	Electronic parking					
	Front tire specifications and dimensions	215/60R17	215/60 R17	225/55 R18	215/60 R17	225/55 R18	225/55 R18
	Rear tire size size	215/60 R17	215/60 R17	225/55 R18	215/60 R17	225/55 R18	225/55 R18
	Formal specification	· Non-full size	—	· Non-full size	—	—	—
	Place the spare tire	· concealed	—	· concealed	—	—	—
Active security parts	ABS anti-lock	· standard configuration					
	Braforce Distribution (EBD / CBC etc.)	· standard configuration					
	Brake Assist (EBA / BA, etc.)	· standard configuration					
	Traction control (TCS / ASR, etc.)	· standard configuration					
	Body stabilization system (ESP / DSC, etc.)	· standard configuration					
	· Lane departure warning	—	· Lane departure warning				

	Passive pedestrian protection	—	—	—	—	—	—
	safety tread	—	—	—	—	—	—
Parking radar	—	—	—	—	—	—	—
	—	—	—	—	—	—	—
The front car leaves the reminder	—	—	—	—	—	—	—
Driving assistance images	· Reverse image	· Reverse image	· Reverse image	· Reverse image	· Reverse image	· Reverse image	· Reverse image
	—	—	—	—	—	—	· 360° panoramic image
Cruise system	· Cruise at fixed speed	—	· Speed patrol dirty	· Cruise at fixed speed	· Cruise at fixed speed	· Speed patrol dirty	· Speed patrol dirty
	· Adaptive cruise	—	· Adaptive cruise				
	Full-speed adaptive cruise	—	Full-speed adaptive cruise				
Automatic lane change assist	—	—	—	—	—	—	—
Autoramp (in)	—	—	—	—	—	—	—
Auxiliary driving level	· L2 level	—	· L2 level				
Automatic parking	—	—	—	—	—	—	—
Follow the reverse	—	—	—	—	—	—	—
Memory parking	—	—	—	—	—	—	—
Automatic parking (AUTOHOLD)	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration
Uphill Assist (HAC)	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration
Slope uplift (HDC)	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration
Engine start-stop technology	· standard configuration	—	· standard configuration	—	—	—	—
Electromagnetic sensing device hanging	—	—	—	—	—	—	—
Variable steering ratio system	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration
Front bridge limited sliding mode	—	—	—	—	—	—	—

The sliding mode of the rear bridge	—	—	—	—	—	—
Central differential locking function	—	—	—	—	—	—
Low speed four-wheel drive	—	—	—	—	—	—
Overall active steering system	—	—	—	—	—	—
Driving mode selection	—	· movement	—	· movement	· movement	· movement
	—	· snowfield	—	· snowfield	· snowfield	· snowfield
	· ECO/ economy	· ECO/ economy	· ECO/ economy	· ECO/ economy	· ECO/ economy	· ECO/ economy
	· Standard comfort	· Standard comfort	· Standard comfort	· Standard comfort	· Standard comfort	· Standard comfort
External configuration	Sunroof type	—	—	Can open the large panoramic window	—	Can open the large panoramic window
	Aluminum alloy hub	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Car side foot pedal	—	—	—	—	—
	Frameless design door	—	—	—	—	—
	Hidden door handle	—	—	—	—	—
	Drag hook	—	—	—	—	—
Interior collocation	Steering wheel material	· plastics	· plastics	—	—	—
			· corium	· corium	· corium	· corium
	Steering wheel adjustment	· Up and down + before and after	· Up and down + before and after	· Up and down + before and after	· Up and down + before and after	· Up and down + before and after
	Steering wheel electric adjustment	—	—	—	—	—
	Steering wheel function	· Multifunction control	· Multifunction control	· Multifunction control	· Multifunction control	· Multifunction control
		—	—	—	—	—
	Driving computer screen tendrils	· multicolour	· multicolour	· multicolour	· multicolour	· multicolour
	LCD instrument style	· Non-full LCD	· Non-full LCD	· Full LCD	· Full LCD	· Full LCD
LCD instrument size (inches)	·7	·7	=			
	—	—	·10.2	·10.2	·10.2	·10.2
Electric suction door	—	—	—	—	—	
Electric rear door	—	—	—	—	—	· standard configuration

Comfort / anti-theft configuration	Inductive rear door	—	—	—	—	—	· standard configuration
	Electric electric star gate position memory	—	—	—	—	—	· standard configuration
	Engine electronic anti-theft	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Central control lock in the car	, standard configuration	, standard configuration	, standard configuration	, standard configuration	· standard configuration	· standard configuration
	Remote key type	· Intelligent remote control key!	· Intelligent remote control key	· Intelligent remote control key	, Intelligent remote control key	· Intelligent remote control key	· Intelligent remote control key
		—	—	—	—	—	· Mobile phone Bluetooth key
		—	—	—	—	—	· Wearable keys
	Keyless entry	· front row	· front row	· front row	· front row	· front row	· front row
	Keyless start	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Remote start	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Remote control mobile car sacrifice	—	—	—	—	—	—
	Vehicle call function	—	—	—	—	—	—
	Heup Display System (HUD)	—	—	—	—	—	· standard configuration
	Built-in dashcam	—	—	—	—	—	—
	Original factory ETC	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	active noise reduction	—	—	—	—	—	—
	Mobile phone wireless charging	—	—	—	—	—	· standard configuration
	110V / 220V / 230V power outlet	—	—	—	—	—	—
	A 12V power interface for the baggage compartment	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Seat material	· Skin weaving mix and match	· textile	· Skin weaving mix and match	Skin weaving mix and match	· Skin weaving mix and match	· corium

Sports style seats	—	—	—	—	—	—
Seat layout	·2+3	·2+3	·2+3	·2+3	·2+3	·2+3
Second row of independent seats	—	—	—	—	—	—
The third row of seats	—	—	—	—	—	—
Seat electric adjustment	—	—	—	—	· Main driver's seat · Co-pilot position	· Main driver's seat · Co-pilot position
Overall adjustment of the main driving seat	· shuttle	· shuttle	· shuttle	· shuttle	, shuttle	· shuttle
	· Back Angle	· Back Angle				
	· High and low adjustment	· High and low adjustment	· High and low adjustment	, High and low regulation	· High and low adjustment	· High and low adjustment
Local adjustment of the raw driving seat	· headrest	· headrest				
Overall adjustment of the front passenger	, shuttle	, shuttle				
	· Back Angle	· Back Angle				
Local adjustment of the front passenger seat	· headrest	· headrest				
Front seat function	—	—	—	—	—	· ventilate
	—	—	—	—	—	· Memory (main driver)
Second-row seat function	—	—	—	—	—	—
The third row of seat function	—	—	—	—	—	—
Boss key	—	—	—	—	—	—
Front / rear armrest	· front row	· front row	, front row	· front row	· front row	· front row
	· back row	· back row				
The rear cup holder	· standard configuration	, standard configuration	, standard configuration	· standard configuration	· standard configuration	· standard configuration
Heating / cooled cup holder	—	—	—	—	—	—
The rear seat falls proportionally	· 40:60	· 40:60	· 40:60	· 40:60	· 40:60	· 40:60
The rear seat is electrically retracted	—	—	—	—	—	—

	The second row of small dots	—	—	—	—	—	—
Intelligent interconnection	Central control screen size (inches)	· 10.1	· 10.1	· 10.1	· 10.1	· 10.1	· 10.1
	Touch screen vibration feedback	—	—	—	—	—	—
	GPS guidance system	· standard configuration					
	AR real navigation	—	—	—	—	—	—
	Navigation road condition information display	· standard configuration					
	Road rescue services	· standard configuration					
	Bluetooth / vehicle phone	· standard configuration					
	Mobile phone interconnection mapping	· CarLife					
	The Internet of cars	· standard configuration					
	4G/5G network	· 4G					
	OTA upgrade	· standard configuration					
	facial recognition	—	—	—	—	—	—
	fingerprint identification	—	—	—	—	—	—
	Sound print recognition	—	—	—	—	—	—
	Emotional recognition	—	—	—	—	—	—
	Speech recognition control system	· standard configuration					
	Voice wake-free function	—	—	—	—	—	—

Glass / rearview mirror	· Lock the car and fold it automatically	· Lock the car and fold it automatically	· Lock the car and fold it automatically	· Lock the car and fold it automatically	· Lock the car and fold it automatically	· Lock the car and fold it automatically
	—	—	—	—	—	· Automatic anti-glare protection
	USB/Type-C	USB/Type-C	· USB/Type-C	USB/Type-C	USB/Type-C	· USB/Type-C
	· Two in the front row	Two in the front row	· Two in the front row			
	—	· Two rear rows				
	—	—	—	—	—	—
	—	—	—	—	—	—
	—	—	—	—	—	—
	—	—	—	—	—	—
	—	—	—	—	· BOSE	· BOSE
Lighting configuration	· 8	· 8	· 8	· 8	· 12	· 12
	—	—	—	—	—	—
	· LED					
	· LED					
	· standard configuration					
	· standard configuration	—	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	· standard configuration					
	—	—	—	—	—	· standard configuration
	· Main driving seat + no lighting	· Main driving seat + no lighting	· Main driving seat + with lighting	· Main driving seat + with lighting	· Main driving seat + with lighting	· Main driving seat + with lighting
	· Passenger seat + no lighting	· Passenger seat + no lighting	· Passenger seat + with lighting	· Passenger seat + with lighting	· Passenger seat + with lighting	· Passenger seat + with lighting
Rear privacy glass	—	—	—	—	—	· standard configuration
	—	—	—	—	—	—

Rain-sensing type wiper	—	—	—	—	—	· standard configuration
After the wiper	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration
The rear window glass is opened	—	—	—	—	—	—
Multi-layer sound insulation glass	—	—	—	—	—	—
Front windshield heating	—	—	—	—	—	—
The water nozzle can be heated	—	—	—	—	—	—
Air conditioning / refrigerator	Air conditioning control mode	· voluntarily	· voluntarily	· voluntarily	· voluntarily	· voluntarily , voluntarily
	Rear independent air conditioning	—	—	—	—	—
	The rear air outlet	· standard configuration	· standard configuration	· standard configuration	, standard configuration	, standard configuration
	Temperature partition control	—	—	· Double area air conditioning	· Double area air conditioning	· Double area air conditioning
	Car air purification arrogance	—	—	—	—	· standard configuration
	Interior PM2.5 filter device	· standard configuration	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	HEPA filtrating equipment	—	—	—	—	—
	Negative ions arose	—	—	—	—	· standard configuration
Intelligent configuration	Auxiliary driving operating system	· Honda SENSING	—	· Honda SENSING	· Honda SENSING	· Honda SENSING
	Vehicle intelligent system	· Honda CONNECT	· Honda CONNECT	· Honda CONNECT	· Honda CONNECT	Honda CONNE
	Mobile phone App for remote control	· Vehicle monitoring	· Vehicle monitoring	· Vehicle monitoring	· Vehicle monitoring	· Vehicle monitoring
		· telecontrol	· telecontrol	· telecontrol	· telecontrol	· telecontrol
		· Service appointment	· Service appointment	· Service appointment	· Service appointment	· Service appointment
		—	—	—	—	· Digital key

Thermal spring management system	—	—	—	—	—	—	—
Number of external cameras (s)	· 2	· 1	· 2	· 2	· 2	· 2	· 5