



Web: http://cncarhs.com

Sichuan HS International Trade Co., Ltd
 Address: No. 269, Tianfu Second Street Gaoxin District Chengdu Sichuan
 Mob: 86-028-81759494 Tel: 17882211901 Email: schswx@aliyun.com

Product Parameter Configuration Table (Honda XR-V 2024)

Mondel Number	XR-V 2024 model 1.5L CVT Thermal version	XR-V 2024 model 1.5L CVT heat wave version	XR-V 2024 model 1.5L CVT boom version	XR-V20241.5L CVT Love version
essential information	rank	small-sized SUV	small-sized SUV	small-sized SUV
	Energy type	gasoline	gasoline	gasoline
	time to market	2023.08	2023.08	2023.08
	engine	1.5L 124 hp L4	1.5L124 hp L4	1.5L 124 hp L4
	maximum power (kW)	91(124Ps)	91(124Ps)	91(124Ps)
	Maximum torque (N · m)	145	145	145
	gear-box	CVT infinitely variable speeds	CVT infinitely variable speeds	CVT infinitely variable speeds
	Length x, width x, height (mm)	4380x1790x1590	4380x1790x1590	4380x1790x1590
	bodywork	A 5-door, 5-seat SUV	A 5-door, 5-seat SUV	A 5-door, 5-seat SUV
	Top vehicle speed (km/h)	183	183	183
body of car	Official 100 km acceleration time (s)	—	—	—
	WLTC combined fuel consumption (L / 100km)	6.3	6.3	6.3
	long (mm)	4380	4380	4380
	wide (mm)	1790	1790	1790
	tall (mm)	1590	1590	1590
	wheel base (mm)	2610	2610	2610
	front gauge (mm)	1548	1548	1548
	rear track (mm)	1553	1553	1553
	bodywork	SUV	SUV	SUV
	Number of doors (full)	5	5	5
power system	Door opening mode	vertical hinged door	vertical hinged door	vertical hinged door
	Number of seats (individual)	5	5	5
	curb weight (kg)	1296	1321	1321
	Full-load mass (kg)	1770	1770	1770
	fuel tank capacity (L)	40	40	40
	Baggage compartment volume (L)	—	—	—
	engine type	L15CE	L15CE	L15CE
driveline	displacement (mL)	1498	1498	1498
	displacement (L)	1.5	1.5	1.5
	Intake form	normally aspirated	normally aspirated	normally aspirated
	Engine layout form	Horizontal	Horizontal	Horizontal
	Cylinder arrangement form	L	L	L
	Number of cylinders (individual)	4	4	4

engine	Number of valves per cylinder (full)	4	4	4	4
	admission gear	DOHCQ	DOHC	DOHC	DOHC
	maximum horsepower (Ps)	124	124	124	124
	maximum power (kW)	91	91	91	91
	Maximum power rotation speed (rpm)	6600	6600	6600	6600
	Maximum torque (N·m)	145	145	145	145
	Maximum torque rotation speed (rpm)	4700	4700	4700	4700
	Engine-specific technology	i-VTEC	i-VTEC	i-VTEC	i-VTEC
	Fuel form	gasoline	gasoline	gasoline	gasoline
	Fuel label	92#	92#	92#	92#
	Oil supply method	direct injection	direct injection	direct injection	direct injection
	Cylinder cap material	aluminium	aluminium	aluminium	aluminium
	Cylinder material	aluminium	aluminium	aluminium	aluminium
	Environmental standards	country VI	country VI	country VI	country VI
gear-box	Transmission description	CVT infinitely variable speeds	CVT infinitely variable speeds	CVT infinitely variable speeds	CVT infinitely variable speeds
	Block digits	infinitely variable speeds	infinitely variable speeds	infinitely variable speeds	infinitely variable speeds
	Transmission type	Stepless transmission (CVT)	Stepless transmission (CVT)	Stepless transmission (CVT)	Stepless transmission (CVT)
Chassis / steering	Drive way	Front-engine	Front-engine	Front-engine	Front-engine
	Before the county hanging form	McPherson type independent suspension	McPherson type independent suspension	McPherson type independent suspension	McPherson type independent suspension
	After the county hanging form	The itudinal arm torsion beam is independent hanging	Longitudinal arm torsion beam type non-independent suspension	The itudinal arm torsion beam is independent hanging	Longitudinal arm torsion beam type non-independent suspension
	Steering type	Electric power	Electric power	Electric power	Electric power
	car body structure	Carrying type	Carrying type	Carrying type	Carrying type
Wheel / Brake	Front Brake Type	Ventilation disc type	Ventilation disc type	Ventilation disc type	Ventilation disc type
	Rear brake type	Solid disk type	Solid disk type	Solid disk type	Solid disk type
	Parking brake type	Electronic parking	Electronic parking	Electronic parking	Electronic parking
	Front tire specifications and dimensions	215/60 R17	215/60 R17	215/60 R17	225/50 R18
	Rear tire size size	215/60 R17	215/60 R17	215/60 R17	225/50 R18
	Formal specification	· Non-full size	· Non-full size	· Non-full size	· Non-full size
	Place the spare tire	· concealed	· concealed	· concealed	· concealed
	ABS anti-lock	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Braforce Distribution (EBD / CBC etc.)	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Brake Assist (EBA / BA, etc.)	· standard configuration	, standard configuration	· standard configuration	· standard configuration
	Traction control (TCS / ASR, etc.)	· standard configuration	· standard configuration	standard configuration	· standard configuration
	Body stabilization system (ESP / DSC, etc.)	· standard configuration	· standard configuration	· standard configuration	· standard configuration

Active safety	Active security early warning system	—	· Lane departure warning	· Lane departure warning	· Lane departure warning
		—	· Front collision warning Q	· Front collision warning	· Front collision warning
		—	—	· Reversing car side warning back	· Reversing car side warning
	Active brake	—	· standard configuration	· standard configuration	, standard configuration
	And line auxiliary	—	—	· standard configuration	· standard configuration
	Lane-keeping assist system	—	· standard configuration	· standard configuration	· standard configuration
	The lane is held in the center	—	· standard configuration	· standard configuration	· standard configuration
	Fatigue driving tips	—	—	—	—
	Active DMS fatigue testing	—	—	—	—
	Detection of vital signs in the vehicle	—	—	—	—
	Road traffic sign identification	—	· standard configuration	· standard configuration	· standard configuration
Passive safety	Signal lamp identification	—	—	—	—
		—	—	—	—
	night vision system	—	—	—	—
		—	—	—	—
	Front air bag	· Main driver's seat	· Main driver's seat	· Main driver's seat	· Main driver's seat
		· Co-pilot position	· Co-pilot position	· Co-pilot position	· Co-pilot position
	Side safety air wing	· front row	· front row	· front row	· front row
	Side safety curtain	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Front knee air wing	—	—	—	—
	Central safety air wing	—	—	—	—
Smart driving	The seat belt is not indicated	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Tire pressure monitoring system	· Tire pressure alarm port	· Tire pressure alarm	· Tire pressure alarm	· Tire pressure alarm
	Child Seat interface (ISOFIX)	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Passive pedestrian protection	—	—	—	—
	safety tread	—	—	—	—
	Parking radar	—	—	—	· front
		—	—	—	· behind
	The front car leaves the reminder	—	—	—	—
	Driving assistance images	—	· Reverse image	· Reverse image	· Reverse image
	Cruise system	—	· Cruise return at fixed speed	· Cruise at fixed speed	· Cruise at fixed speed
		—	· Adaptive cruise	· Adaptive cruise	· Adaptive cruise
		—	· Full-speed adaptive cruise	· Full-speed adaptive cruise	· Full-speed adaptive cruise
	Automatic lane change assist	—	—	—	—
	Autoramp (in)	—	—	—	—
	Auxiliary driving level	—	· L2 level	· L2 level	· L2 level
	Automatic parking	—	—	—	—

Auxiliary / handling configuration	Follow the reverse	—	—	—	—
	Memory parking	—	—	—	—
	Automatic parking (AUTOHOLD)	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Uphill Assist (HAC)	, standard configuration	· standard configuration	· standard configuration	, standard configuration
	Slow descent (HDC)	, standard configuration	, standard configuration	, standard configuration	, standard configuration
	Engine start-stop technology	—	—	—	—
	Variable violent hanging regulation	—	—	—	—
	Air hanging	—	—	—	—
	Electromagnetic sensing device hanging	—	—	—	—
	Variable steering ratio system	—	—	—	—
	Front bridge limited sliding mode	—	—	—	—
	The sliding mode of the rear bridge	—	—	—	—
	Central differential clamlocking function	—	—	—	—
	Low speed four-wheel drive	—	—	—	—
External configuration	Overall active steering system	—	—	—	—
	Driving mode selection	·ECO/ economy	·ECO/ economy	·ECO/ economy	·ECO/ economy
	Sunroof type	—	The panoramic skylight cannot be opened in sections	· The panoramic skylight cannot be opened in sections	The panoramic skylight cannot be opened in sections
	Light sense sky curtain	—	—	—	—
	roof rack	—	—	—	—
	Sports appearance kit	—	—	—	—
	Electric spoiler	—	—	—	—
	Aluminum alloy hub	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Car side foot pedal	—	—	—	—
	Frameless design door	—	—	—	—
interior collocation	Hidden door handle	—	—	—	—
	Drag hook	—	—	—	—
	Steering wheel material	· plastics	· corium	· corium	· corium
	Steering wheel adjustment	· Up and down + before and after	· Up and down + before and after	· Up and down + before and after	· Up and down + before and after
	Steering wheel electric adjustment	—	—	—	—
	Steering wheel function	· Multifunction control	· Multifunction control	· Multifunction control	· Multifunction control
	Driving computer screen tomb	· multicolour	· multicolour	· multicolour	· multicolour
	LCD instrument style	· Non-full LCD	· Non-full LCD	· Non-full LCD	· Non-full LCD
	LCD instrument size (inches)	·4.2	·7	·7	·7
	Electric suction door	—	—	—	—
	Electric rear door	—	—	—	—

	Inductive rear door	—	—	—	—
	Electric motor rear tail gate position memory	—	—	—	—
	Engine electronic anti-theft	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Central control lock in the car	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Remote key type	· Intelligent remote control key			
	Keyless entry		· front row	· front row	· front row
	Keyless start	· standard configuration	· standard configuration	· standard configuration	· standard configuration
Comfort / anti-theft configuration	Remote start	—	· standard configuration	· standard configuration	· standard configuration
	Remote control mobile vehicle	—	—	—	—
	Vehicle call function	—	—	—	—
	Heup Display System (HUD)	—	—	—	—
	Built-in dashcam	—	—	—	—
	Original factory ETC	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	active noise reduction	—	—	—	—
	Mobile phone wireless charging	—	—	—	· standard configuration
	110V / 220V / 230V power outlet	—	—	—	—
	The 12V power interface of the luggage compartment	—	—	—	—
Seat configuration	Seat material	· textile	· Skin weaving mix and match	· Skin weaving mix and match	· corium
	Sports style seats	—	—	—	—
	Seat layout	· 2+3	· 2+3	· 2+3	· 2+3
	Second row of independent seats	—	—	—	—
	The third row of seats	—	—	—	—
	Seat electric adjustment	—	—	—	—
	Overall adjustment of the main driving seat	· shuttle	· shuttle	· shuttle	· shuttle
		· Back Angle	· Back Angle	· Back Angle	· Back Angle
		· High and low adjustment			
	Local adjustment of the main driving seat	· headrest	· headrest	· headrest	· headrest
	Overall adjustment of the front passenger seat	· shuttle	· shuttle	· shuttle	· shuttle
		· Back Angle	· Back Angle	· Back Angle	· Back Angle
	Local adjustment of the front passenger seat	· headrest	· headrest	· headrest	· headrest
	Second row seat overall adjustment	· Backrest Angle adjustment	· Backrest Angle adjustment	· Backrest Angle adjustment	· Backrest Angle adjustment
	Second row seat local adjustment	—	—	—	—
	Front seat function	—	—	—	—
	Second-row seat function	—	—	—	—

	The third row of seat function	—	—	—	—
	Boss key	—	—	—	—
Front / rear armrest	· front row	· front row	· front row	· front row	· front row
	—	· back row	· back row	· back row	· back row
	The rear cup holder	—	· standard configuration	· standard configuration	· standard configuration
	The rear seat recreationally	· 40:60	· 40:60	· 40:60	· 40:60
	The rear seat is electrically retracted	—	—	—	—
	The second row of small plates	—	—	—	—
Intelligent interconnection	Central control screen size (inches)	· 8	· 9	· 9	· 9
	Touch screen vibration feedback	—	—	—	—
	GPS guidance system	—	· standard configuration	· standard configuration	· standard configuration
	AR real navigation	—	—	—	—
	Navigation road condition information display	—	· standard configuration	· standard configuration	· standard configuration
	Road rescue services	—	· standard configuration	· standard configuration	· standard configuration
	Bluetooth / vehicle phone	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Mobile phone interconnection mapping	· CarLife	· CarLife	· CarLife	· CarLife
	The Internet of cars	—	· standard configuration	· standard configuration	, standard configuration
	4G/5G network	—	· 4G	· 4G	· 4G
	OTA upgrade	—	· standard configuration	· standard configuration	· standard configuration
	Speech recognition control system	—	· standard configuration	· standard configuration	· standard configuration
	Voice wake-free function	—	—	—	—
	Voice subarea wake-up recognition function	—	· Main driving	· Main driving	· Main driving
	Continuous speech recognition	—	—	—	—
	Visible to say	—	—	—	—
Video entertainment	Voice assistant wake-up words	—	Hello Honda	Hello Honda	Hello Honda
	Gesture control function	—	—	—	—
	Wi-Fi hot spot	—	· standard configuration	· standard configuration	· standard configuration
	Multi-finger flying screen control	—	—	—	—
	application store	—	—	—	—
	Multimedia interface	· USB/Type-C	· USB/Type-C	· USB/Type-C	· USB/Type-C
	Number of USB / Type-C interfaces	· Two in the front row			
		· Two rear rows			
	Number of speakers (s)	· 4	· 4	· 4	· 4

	Rear-row multimedia control	—	—	—	—
Lighting configuration	dipped headlight	· LED	· LED	· LED	· LED
	high beam	· LED	· LED	· LED	· LED
	Daytime running lights	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Adaptive near and far light		· standard configuration	· standard configuration	· standard configuration
	Automatic headlights	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Steering auxiliary light	—	—	—	—
	Before the light	—	—	—	· standard configuration
	Headlights following the steering (AFS)	—	—	—	—
	Headlights are highly adjusted	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Headlight cleaning function	—	—	—	—
	Inside the car ammonia around the lamp	—	—	—	—
	Active ambient atmosphere lamp	—	—	—	—
	Light features	—	—	—	—
Glass / rearview mirror	Headlights are shut down delay	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Electric window	· front row	· front row	· front row	· front row
		· back row	· back row	· back row	· back row
	The window is lifted with one click	· Main driver's seat			
	Window anti-clamp hand function	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	External rearview mirror function	· electrical control	· electrical control	· electrical control	· electrical control
		· Electric folding	· Electric folding	· Electric folding	· Electric folding
		—	—	—	· Lock the car and fold it automatically
	Internal rearview mirror function	—	—	—	—
	Inside the car makeup mirror	· Main driving seat + no lighting	· Main driving seat + no lighting	· Main driving seat + no lighting	· Main driving seat + with lighting
		· Passenger seat + no lighting	· Passenger seat + no lighting	· Passenger seat + no lighting	· Passenger seat + with lighting
	Rear privacy glass	—	—	—	—
	Inside the car shade	—	—	—	—
	Rain-sensing type wiper	—	—	—	—
	After the wiper	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	Air conditioning control mode	· voluntarily	· voluntarily	· voluntarily	· voluntarily
	Rear independent air conditioning	—	—	—	—
	The rear air outlet	—	, standard configuration	· standard configuration	, standard configuration

Air conditioning / refrigerator	Temperature partition control	—	—	—	, Double area air conditioning
	Car-mounted air purifier	—	—	—	—
	Interior PM2.5 filter device	· standard configuration	· standard configuration	· standard configuration	· standard configuration
	HEPA filtrating equipment	—	—	—	—
	negative ion generator	—	—	—	—
	Inside the car fragrance device	—	—	—	—
	car refrigerator	—	—	—	—
Intelligent configuration	Auxiliary driving operating system	—	· Honda SENSING	· Honda SENSING	.Honda SENSING
	Vehicle intelligent system	—	· Honda CONNECT	. Honda CONNECT	. Honda CONNECT
	Mobile phone App remote control	—	· Vehicle monitoring	· Vehicle monitoring	· Vehicle monitoring
		—	· telecontrol	· telecontrol	· telecontrol
		—	· Service appointment	· Service appointment	· Service appointment
	Heat pump management system	—	—	—	—
	Number of external cameras (a)	—	·2	· 2	· 2